



Frequent Mental Distress

Frequent mental distress (FMD) is defined as having fourteen or more days of poor mental health in the past thirty days.

In 2017, **nearly 14 of every 100** Leavenworth County adults 18 years and older had frequent mental distress.



Depressive Disorder

Depressive disorder is defined as depression, major depression, dysthymia, or minor depression.

In 2017, **23 of every 100** Leavenworth County adults 18 years and older had depressive disorder.



www.kdheks.gov/brfss

Depressive Disorder by Selected Socio-demographic Characteristics, Leavenworth County

BY GENDER

Depressive Disorder was significantly higher among women compared to men.

31.8%

Nearly 32 of every 100 adult women.



15.4%

About 15 of every 100 adult men.

BY AGE*



Nearly 24 of every 100 adults aged 18-44 years.



22 of every 100 adults aged 45-64 years.



Nearly 24 of every 100 adults aged 65 years and older.

BY ANNUAL HOUSEHOLD INCOME

Depressive Disorder was significantly higher among persons with an annual household income of **less** than \$35,000 per year compared to those with \$35,000 or higher per year.



41.2%

About 41 of every 100 adults with an annual household income of less than \$35,000 per year.



15.8%

Nearly 16 of every 100 adults with an annual household income of \$35,000 or higher per year.

^{*}The prevalence estimates of depressive disorder in Leavenworth County are not significantly different by age.

Depressive Disorder by Selected Socio-demographic Characteristics, **Leavenworth County**

BY EDUCATION*





Nearly 24 of every 100 adults with a high school education or less.



Nearly 23 of every 100 adults with some college education or higher.

BY DISABILITY STATUS

Depressive Disorder was significantly higher among persons living with a disability[†] compared to those living without a disability.

Nearly 43 of every 100 adults who reported living with a disability.

42.5%

About 14 of every 100 adults who reported living without a disability.

14.4%



BY OBESITY*

About 18 of every 100 adults who were Normal or Underweight (BMI<25).

18.4%



About 24 of every 100 adults who were Overweight (25<=BMI<30).

24.3%



Nearly 25 of every 100 adults who were Obese (BMI>=30).

24.8%

[†] Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

^{*} The prevalence estimates of depressive disorder in Leavenworth County are not significantly different by education and obesity groups.

Depressive Disorder by Selected Socio-demographic Characteristics, Leavenworth County

BY PHYSICAL ACTIVITY*



19.4%

About 19 of every 100 adults who participate in leisure-time physical activity



30.2%

About 30 of every 100 adults who did not participate in leisure-time physical activity

Kansas Behavioral Risk Factor Surveillance System-Local Data, 2017. Kansas Department of Health and Environment, Bureau of Health Promotion website. Available at http://www.kdheks.gov/brfss/BRFSS2017/index.html. Accessed July 21, 2019.

Supported by grants from the Health Forward Foundation, Kansas Health Foundation, REACH Healthcare Foundation, Sunflower Foundation and the Centers for Disease Control and Prevention.

^{*} The prevalence estimates of depressive disorder in Leavenworth County are not significantly different by physical activity groups.

^{*}Physically Inactive: Respondents were classified as physically inactive if they responded "no" to the following question: "During the past month, other than your regular job, did you participate in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?"